



受け枠のBタイプは  
厚さ5mmのゴムパッキン付き

材質	SS 400
処 理	溶融亜鉛メッキ 樹脂系塗装

h50以上は蓋が2枚割となります。

荷重	溝幅 mm	型式記号	グレーチング本体				受 枠		
			b寸法 mm	a寸法 mm	h mm	重量 kg	受枠 形式	寸法 mm	重量 kg
T25	200	AGLC20-38	995	300	38	27.1	A	L50×60×6	10.9
							B	L56×60×6	11.6
	250	AGLC25-38		350	38	42.9	A	L50×60×6	10.9
							B	L56×60×6	11.6
	300	AGLC30-44		400	44	53.0	A	L56×60×6	11.6
							B	L61×60×6	11.9
	350	AGLC35-44	450	44	61.7	A	L56×60×6	11.6	
						B	L61×60×6	11.9	
	400	AGLC40-50	500	50	72.9	A	L61×60×6	11.9	
						B	L66×60×6	12.4	
	450	AGLC45-50	550	50	79.7	A	L61×60×6	11.9	
						B	L66×60×6	12.4	
500	AGLC50-50	600	50	86.8	A	L61×60×6	11.9		
					B	L66×60×6	12.4		

荷重	溝幅 mm	型式記号	グレーチング本体				受 枠		
			b寸法 mm	a寸法 mm	h mm	重量 kg	受枠 形式	寸法 mm	重量 kg
T20	200	AGLC20-38	995	300	38	27.1	A	L50×60×6	10.9
							B	L56×60×6	11.6
	250	AGLC25-38		350	38	42.9	A	L50×60×6	10.9
							B	L56×60×6	11.6
	300	AGLC30-38 -20		400	38	49.4	A	L50×60×6	10.9
							B	L56×60×6	11.6
	350	AGLC35-44	450	44	61.7	A	L56×60×6	11.6	
						B	L61×60×6	11.9	
	400	AGLC40-44	500	44	70.8	A	L56×60×6	11.6	
						B	L61×60×6	11.9	
	450	AGLC45-50	550	50	79.7	A	L61×60×6	11.9	
						B	L66×60×6	12.4	
500	AGLC50-50	600	50	86.8	A	L61×60×6	11.9		
					B	L66×60×6	12.4		

荷重	溝幅 mm	型式記号	グレーチング本体				受 枠		
			b寸法 mm	a寸法 mm	h mm	重量 kg	受枠 形式	寸法 mm	重量 kg
T14 T6	200	AGLC20-32	995	300	32	22.7	A	L44×60×6	9.6
							B	L50×60×6	10.9
	250	AGLC25-38 -14		350	38	30.8	A	L50×60×6	10.9
							B	L56×60×6	11.6
	300	AGLC30-38 -14		400	38	33.7	A	L50×60×6	10.9
							B	L56×60×6	11.6
	350	AGLC35-38	450	38	54.0	A	L50×60×6	10.9	
						B	L56×60×6	11.6	
	400	AGLC40-38	500	38	59.7	A	L50×60×6	10.9	
						B	L56×60×6	11.6	
	450	AGLC45-38	550	38	65.1	A	L50×60×6	10.9	
						B	L56×60×6	11.6	
500	AGLC50-44	600	44	81.2	A	L56×60×6	11.6		
					B	L61×60×6	11.9		

図名	鋼製グレーチング	符号	AGLC	記事	細目 ボルト固定式	設計	佐 2016.11.10 取	照査	佐 2016.11.10 取	承認	野 2016.11.10 島	図番	2016.1110.1410YS	伊藤鉄工株式会社
----	----------	----	------	----	--------------	----	----------------------	----	----------------------	----	----------------------	----	------------------	----------